Tark Shore Beach ECL Collier Co. COLLIER COUNTY

## BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND OF THE STATE OF FLORIDA

## RESOLUTION

WHEREAS, Sections 161.141 through 161.211, Florida Statutes, authorize the Board of Trustees of the Internal Improvement Trust Fund of the State of Florida to locate and fix an erosion control line in the tidal waters of the State of Florida where beach erosion is a serious menace to the economy and general welfare of the people of the state; and,

WHEREAS, the Board of Trustees of the Internal Improvement Trust Fund of the State of Florida held a public hearing on the 14th day of July, 1995, at Naples, Florida, on the proposed Park Shore Beach, Collier County Erosion Control Line as surveyed by Richard J. Ewing, Professional Land Surveyor, being more particularly described in Exhibit A, attached hereto and made a part hereof; and,

WHEREAS, the Board of Trustees of the Internal Improvement Trust Fund has examined the evidence on the merits of the proposed beach erosion project and finds that the restoration of the beach is in the interest of the public; and,

WHEREAS, all owners of lands riparian to the proposed erosion control line and within a thousand feet thereof by radial measurement have been notified by certified mail of the proceedings to establish the erosion control line; and,

WHEREAS, the Board of Trustees of the Internal Improvement Trust Fund of the State of Florida has determined that all requirements of the statutes hereunto applicable have been complied within proper manner.

Based on the foregoing, the erosion control line, more particularly described in Exhibit A, is hereby approved, adopted, and certified for the purposes prescribed by Sections 161.141 through 161.211, Florida Statutes, and shall remain in effect until invalidated in accordance with the law.

Signed this the 30th day of October A.D., 1995.

(SEMM)OVEN.
Board of Trustees of the
Internal Improvement Trust
Fund Off The State of Florida
JANUARY 6, 2

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND OF THE STATE OF FLORIDA

Terry E. Wilkinson, Chief Bureau of Survey and Mapping, Department of Environmental Protection, as agent for and on behalf of the Board of Trustees of the Internal Improvement Trust Fund

APPROVED AS TO FORM & LEGALITY

DEP Attorney

This Instrument prepared by Gary F. Bishop 3900 Commonwealth Boulevard Tallahassee, Florida 32399

## EXHIBIT A PARK SHORE BEACH COLLIER COUNTY EROSION CONTROL LINE

THE EROSION CONTROL LINE LIES ALONG THE GULF OF MEXICO, IN COLLIER COUNTY, FLORIDA, IN SECTIONS 16 AND 21, TOWNSHIP 49 SOUTH, RANGE 25 EAST, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF LOT 12, BLOCK 12 OF PARK SHORE, UNIT NO. 2, A SUBDIVISION RECORDED IN PLAT BOOK 8, PAGES 54 AND 55 OF THE PUBLIC RECORDS OF COLLIER COUNTY, FLORIDA, RUN 72/589°22'19"W ALONG THE NORTHERLY LINE OF COMMONS "S" OF SAID SUBDIVISION FOR 111.24 FEET TO AN INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE GULF OF MEXICO AND THE POINT OF BEGINNING; THENCE ALONG SAID MEAN HIGH WATER LINE (ELEVATION 1.51 FEET N.G.V.D. 1929)
782802°14'49"E 148.19 FEET; %THENCE S00°12'28"E 195.47 FEET; THENCE
784804°59'53"E 185.02 FEET; %THENCE S04°40'46"E 95.96 FEET; THENCE
784804'18'39E 104.19 FEET; %THENCE S04°40'17"E 110.89 FEET; THENCE THENCE THENCE 732 SO5°11'00"E 110.64 FEET'STHENCE SO6°50'52"E 109.02 FEET;
730 SO6°13'24"E 103.37 FEET;
734 SO6°54'36"E 125.05 FEET;
734 SO4°26'28"E 200.12 FEET;
735 SO4°26'28"E 200.12 FEET;
736 SO4°26'28"E 194.43 FEET;
737 SO4°26'28"E 200.12 FEET;
737 SO4°26'28"E 200.12 FEET;
738 SO4°26'28"E 194.43 FEET; THENCE THENCE THENCE THENCE 736802°04'56"E 117.07 FEET/ASTHENCE 802'42'41"E 189.43 FEET;
236802°04'56"E 193.64 FEET/ASTHENCE 802'42'41"E 189.43 FEET;
236802°05'58'51"E 193.64 FEET/ASTHENCE 805°31'36"E 193.81 FEET;
246806°05'43"E 198.05 FEET/ASTHENCE 804°38'07"E 190.56 FEET;
246804°32'54"E 194.73 FEET/ASTHENCE 805°08'07"E 195.99 FEET;
246804°23'23'E 200.65 FEET/ASTHENCE 805°08'07"E 195.99 FEET;
246804°23'23'E 200.65 FEET/ASTHENCE 805°08'07"E 195.99 FEET;
246804°23'23'E 200.65 FEET/ASTHENCE 805°08'07"E 195.99 FEET; THENCE THENCE THENCE THENCE 24 S04 23 23 E 200.65 FEET; FINENCE S07 36 57 E 141.64 FEET; THENCE ~4.508°27'23"E 99.27 FEET; ~7THENCE S08°15'54"E 96.64 FEET; ~507°10'16"E 98.21 FEET; ~THENCE S07°27'00"E 95.01 FEET; ~501°08'41"E 164.18 FEET; %THENCE S00°08'42"W 102.79 FEET; THENCE THENCE THENCE 71.37 FEET; THENCE S00°50'46"W 73.47 %1800°47'28"E 34 SOO° 17'55"W 80.15 FEET; %THENCE SO4° 19'42"E 158.81 FEET; THENCE 74 S01°04'08"E 192.62 FEET; % THENCE S01°07'46"E 92.43 FEET INTERSECTION WITH THE NORTHERLY LINE OF LOT 8, BLOCK "S" OF THE MOORINGS, UNIT NO. 8, A SUBDIVISION RECORDED IN PLAT BOOK 8, PAGE 11 OF THE PUBLIC RECORDS OF COLLIER COUNTY, FLORIDA AND THE POINT OF TERMINATION OF THE HEREIN DESCRIBED LINE SAID POINT LYING 769 NO2°36'53"W A DISTANCE OF 2901.16 FEET FROM PERMANENT REFERENCE MONUMENT 64-78-A-12 AS SHOWN ON THE COASTAL CONSTRUCTION CONTROL LINE PLAT OF COLLIER COUNTY, FLORIDA, RECORDED ON JULY 29, 1980, IN COASTAL SETBACK LINE BOOK 1, PAGES 13 THROUGH 25 OF SAID PUBLIC RECORDS.

				· <b></b>	
Point	Node II	מ	Station	Northing-(Y)	Easting-(X)
				100000.0000	
Direction	ı :	Distance			
S89°22'19	W"00.	111.2400			
Point	Node I	D .	Station	Northing-(Y)	Easting-(X)
PI			1+11.2400	99998.7807	99888.7667
Direction	ı	Distance			
S02°14'49					
Point .	. Node I	D .	Station	Northing-(Y)	Easting-(X)
PI	722		2+59.4300	99850.7046	99894.5767
Direction	ı	Distance	<b></b>		
S00°12'28	3.00"E	195.4700			
Point	Node I	D	Station	Northing-(Y)	Easting-(X)
PI	723		4+54.9000	99655.2359	99895.2856
Direction	n . 	Distance	· 		
S03°59'5	3.00"E				
Point	Node I	:D	Station	Northing-(Y)	Easting-(X)
PI	724			99470.6661	99908.1856
Direction	n 	Distance	<b></b>		
\$04°40'4	6.00"E				
Point	Node 1	[D	Station	Northing-(Y)	Easting-(X)
PI	725		7+35.8800	99375.0260	99916.0141
Directio	n	Distance			
S04°18'3	9.00"E	104.1900			

Point	Node ID	Station	Northing-(Y)	Easting-(X)
	726		99271.1308	99923.8458
Direction	Distance	<b>:</b>		
S04°49'17.	00"E 110.8900	. <b></b> )		
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	727	9+50.9600	99160.6331	99933.1661
Direction	Distance	<b>:</b>		•
S05°11'00.	00"E 110.6400			
Point .	Node ID	Station	Northing-(Y)	Easting-(X)
PI	728	10+61.6000	99050.4456	99943.1616
Direction	Distance			•
S06°50'52.	00"E 109.020	)		
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	729		98942.2033	99956.1603
Direction	Distance	<u> </u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
S06°13'24.	00"E 103.370		·	•
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI .	730	12+73.9900	98839.4424	99967.3660
Direction	Distanc	e 		
\$07°05'23	.00 <b>"E</b> 163.020			
Point	Node ID	Station	Nórthing-(Y)	Easting-(X)
PI	731	14+37.0100	98677.6689	99987.4865
Direction	Distanc	e .		
S06°54'36	.00"E 125.050	0		

	<b>==========</b>			
Point	Node ID	Station	Northing-(Y)	Easting-(X)
ΡΊ	732	15+62.0600	98553.5272	100002.5313
Direction	Distance			
\$03°45'57.	00"E 137.9400			
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	733	17+00.0000	98415.8850	100011.5911
Direction	Distance			
\$04°26'28.	00"E 200.1200			
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	734	19+00.1200	98216.3659	100027.0872
Direction	Distance			
\$04°23'45.	00"E 194.4300			
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	735	20+94.5500	98022.5079	100041.9896
Direction	Distance	: 		
	.00"E 117.0700			
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	736	22+11.6200	97905.5152	100046.2432
Direction	Distance	; 		
S02°42'41		)		
Point	Node ID	Station	Nórthing-(Y)	Easting-(X)
PI	737	24+01.0500	97716.2972	100055.2042
Direction	Distance	•		
S05°58'51	.00"E 193.640	)		

Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	738		97523.7112	
Direction	Dis	stance		
S05°31'36.				
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	739	27+88 .5000	97330.8022	100094.0463
Direction	Dia	stance		
\$06°05'43.	00"E 198	3.0500		
Point .	Node ID	Station	Northing-(Y)	Easting-(X)
PI	740	29+86.5500	97133.8718	100115.0757
Direction		stance		
S04°38'07				
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	741	31+77.1100	96943.9351	100130.4753
Direction	Di:	stance		
S04°32'54	.00"E 19	4.7300		
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI .	742	33+71.8400	96749.8183	100145.9174
Direction	Di	stance		
• • • • • • • • • • • • • • • • • • • •	.00"E 19			
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	743	35+67.8300	96554.6150	100163.4600
Direction	· Di	stance		
S04°23'23	.00"E 20	0.6500		

geeee <b>eee</b> Point	Node l	<b></b> : [D	station	Northing-(Y)	Easting-(X)
	744			96354.5536	
Direction	1	Distance			
S07°36'57	7.00"E	141.6400			
Point	Node :	ID	Station	Northing-(Y)	Easting-(X)
PI	745	<b></b>	39+10.1200	96214.1630	100197.5894
Direction	ı	Distance	•		
S08°27'23	3.00"E	99.2700			
Point .	_ Node :	ID	Station	Northing-(Y)	Easting-(X)
PI	746	<b></b>	40+09.3900	96115.9723	100212.1877
Direction	n	Distance			
S08°15'54	4.00"E	96.6400			
Point	Node	ID	Station	Northing-(Y)	Easting-(X)
PI	747		41+06.0300	96020.3360	100226.0799
Direction	n. 	Distance	: 		
S07°10'1	6.00"E	98.2100			
Point	Node	ID	Station	Northing-(Y)	Easting-(X)
PI	748		42+04.2400	95922.8942	100238.3397
Direction	n	Distance	: <b></b>	. <b></b>	
S07°27'0	0.00"E	95.0100			
Point	Node	ID	Station	Northing-(Y)	Easting-(X)
PI	749		42+99.2500	95828.6863	100250.6588
Directio	n 	Distance	• •		-
S01°08'4	1.00"E	164.1800	)		

=======		==== <b>===</b>		
Point	Node ID	Station		Easting-(X)
			95664.5390	
Direction	Dist	ance		
S00°08'42	.00"W 102.		<b></b>	
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	<b>7</b> 51	45+66.2200	95561.7494	100253.6786
	n Dist			·
S00°47'28	.00"E 71.3			
Point -	_ Node ID	Station	Northing-(Y)	Easting-(X)
PI	752	46+37.5900	95490.3862	100254.6640
Direction	n Dist	ance		
500°50'46	5.00"W 73.4		· • • • • • • • • • • • • • • • • • • •	
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	753	47+11.0600	95416.9242	100253.5791
Direction	n Dist	ance		
S00°17'5	5.00"W 80.1			
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	754	47+91.2100	95336.7753	100253.1614
Direction	n Dist	ance		
S04°19'42	2.00"E <b>158</b> .			
Point	Node ID	Station	Nórthing-(Y)	Easting-(X)
PI	755	49+50.0200	95178.4182	100265.1471
Direction	n Dist	ance		
S01°04'0	8.00"E 192	.6200		

Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	756	51+42.6400	94985.8317	100268.7403
Direction	n Distan	ce		_
S01°07'46	6.00"E 92.430	0		
Point	Node ID	Station	Northing-(Y)	Easting-(X)
PI	757	52+35 <sup>1</sup> .0700	94893.4197	100270.5622
Direction				
S02°36'5				
Point -	. Node ID	Station	Northing-(Y)	Easting-(X)
EOP	758	81+36.2300	91995.2801	100402.9122